




I'm not robot



Open







Table 1 Lynch Syndrome Cancer Risks (≥70)

Cancer Type	MLH1 and MSH2	MSH6	PMS2	General Public
Colon	40%–80%	10%–22%	15%–20%	5.5%
Endometrial	25%–60%	16%–26%	15%	2.7%
Stomach	1%–13%	≤3%	6%	<1.0%
Ovarian	4%–24%	1%–11%	6%	1.6%

NCCN Guidelines for Genetic/Familial High-Risk Assessment: Colorectal, v1.2014. Adapted from Bonadona V et al. JAMA 2011;30:2304–2310; Senter L et al. Gastroenterology 2008;135:419–428.



Van Cutsem E, et al. [Guideline] Steele SR, Chang GJ, Hendren S, Weiser M, Irani J, Buie WD, et al. Chustecka Z. 2011 Nov. British Society of Gastroenterology/Association of Coloproctology of Great Britain and Ireland/Public Health England post-polypectomy and post-colorectal cancer resection surveillance guidelines. 2011 Dec 7. [Medline]. 30(28):3499-506. Van Cutsem E, Köhne CH, Láng I, Folprecht G, Nowacki MP, Cascini S, et al. Rothwell PM, Fowkes GR, Belch JF, Ogawa H, Warlow CP, Meade TW. Difluoromethylornithine plus sulindac for the prevention of sporadic colorectal adenomas: a randomized placebo-controlled, double-blind trial. 2009 Jun 10. May 30, 2018; Accessed: May 25, 2019. [Guideline] Labianca R, Nordlinger B, Beretta GD, Mosconi S, Mandala M, Cervantes A, et al. 317 (16):1631-1641. Colorectal Cancer Risk Following Bariatric Surgery in a Nationwide Study of French Individuals With Obesity. Available at . 7:72. Stark, Angela. 2019 Oct 24. Rozyltrek (entrectinib) [package insert]. Cancer statistics for African Americans, 2019. Gastroenterology. Kirkegaard H, Johnsen NF, Christensen J, Frederiksen K, Overvad K, Tjønneland A. 2017 Apr 25. [Guideline] Syngal S, Brand RE, Church JM, Giardiello FM, Hampel HL, Burt RW, et al. Revised Bethesda Guidelines for hereditary nonpolyposis colorectal cancer (Lynch syndrome) and microsatellite instability. McCullough ML, Zolnick ES, Weinstein SJ, Fedirko V, Wang M, et al. 21(15):2912-9. 34 (2):179-85. 104(3):739-50. Clopidogrel Boosts Bleeding Risk After Polypectomy. Colon and rectal cancer: laparoscopic or open? 2018 Mar 10. 2018 Jun 14. Impact of physical activity on cancer recurrence and survival in patients with stage III colon cancer: findings from CALGB 89803. Guidelines for Follow-up of Colorectal Cancer Patients. 369(11):1023-34. August, 2019. Clin Colorectal Cancer. 305(11):1685-94. Colonoscopy and Colorectal Cancer Mortality in the Veterans Affairs Health Care System: A Case-Control Study. Hugen N, van de Velde CJ, de Wit JH, Nagtegaal ID, Quasar Collaborative Group, Gray R, Barnwell J, et al. 2016 Dec 15. Available at . Koopman M, Simkens L, May A, Mol L, van Tinteren H, Punt CJA, et al. 48:191-202. 372 (26):2509-20. January 23, 2018; Accessed: January 30, 2018. [Guideline] Meyerhardt JA, Mangu PB, Flynn PJ, Korde L, Loprinzi CL, Minsky BD, et al. 2011 Jun. March 14, 2014; Accessed: January 30, 2018. 375 (16):1519-30. Campbell PT, Patel AV, Newton CC, Jacobs EJ, Gapstur SM. Cancer Facts & Figures 2020. 2020 Mar 5. Colon cancer survival is associated with increasing number of lymph nodes analyzed: a secondary survey of intergroup trial INT-0089. Cunningham D, Humblet Y, Siena S, et al. 6(7):477-84. Prediagnostic smoking history, alcohol consumption, and colorectal cancer survival: The Seattle Colon Cancer Family Registry. Allegra CJ, Yothers G, O'Connell MJ, Sharif S, Petrelli NJ, Colangelo LH, et al. Available at . Relationship among circulating tumor cells, CEA and overall survival in patients with metastatic colorectal cancer. 1(1):32-8. Available at . August 11, 2014; Accessed: January 30, 2018. 2005 Dec 1. A randomized controlled trial of fluorouracil plus leucovorin, irinotecan, and oxaliplatin combinations in patients with previously untreated metastatic colorectal cancer. Available at . JAMA Surg. Proinflammatory Diet Contributes to CRC Risk in Both Sexes. Seymour MT, Thompson LC, Wasan HS, et al. 1997. A Phase III Study of Capecitabine Given on a Week on/Week off Schedule Combined With Bevacizumab and Oxaliplatin for Patients With Untreated Advanced Colorectal Cancer. Brouquet A, Overman MJ, Kopetz S, et al. Accessed: April 24, 2013. Outcome and natural history of patients with stage IV colorectal cancer receiving chemotherapy without primary tumor resection. Screening for cancer: advice for high-value care from the American College of Physicians. Le DT, Uram JN, Wang H, Barletta BR, Kemberling H, Eyring AD, et al. PD-1 Blockade in Tumors with Mismatch-Repair Deficiency. 174(4):459-67. 2016 Aug. 2015 Apr 10. DeSantis CE, Miller KD, Goding Sauer A, Jemal A, Siegel RL. Screening for Colorectal Cancer: US Preventive Services Task Force Recommendation Statement. 343(6):667. FDA Clears First Blood-Based Colorectal Cancer Screening Test. Colorectal cancer screening among ethnically diverse, low-income patients: a randomized controlled trial. 2015 Aug. doi: 10.6004/jnccn.2015.0006. Given Imaging Receives FDA Clearance for PillCam® COLON in Patients Following Incomplete Colonoscopy. 29(1):11-6. Randomized phase III study of panitumumab with fluorouracil, leucovorin, and irinotecan (FOLFIRI) compared with FOLFIRI alone as second-line treatment in patients with metastatic colorectal cancer. 28(31):4697-705. 103(20):1498-1506. Stivarga (regorafenib) [package insert]. Bokemeyer C, Bondarenko L, Makhsoum A, Hartmann JT, Aparicio J, de Braud F, et al. 2016 Jun. Ziv-aflibercept in metastatic colorectal cancer. McNamara D. Lung cancer screening, version 1.2015: featured updates to the NCCN guidelines. Van Cutsem E, Tabernero J, Lakomy R, Prenen H, Prausová J, Macarulla T, et al. 2011 Nov 10. Vitamin D Receptor Genotype, Vitamin D3 Supplementation, and Risk of Colorectal Adenomas: A Randomized Clinical Trial. 2008 May-Jun. 2011 Mar 1. Accessed: November 18, 2013. Risk of arterial thromboembolic events in patients with advanced colorectal cancer receiving bevacizumab. Sehgal R, Lembersky BC, Rajaseenan KK, et al. Fecal Immunohistochemical Test Program Performance Over 4 Rounds of Annual Screening: A Retrospective Cohort Study. 2016 Apr 20. 309(24):2563-71. 2013 Sep 12. Cancer statistics, 2019. 2017 Jul 19. Laidman J. 2008 Dec 20. 349(3):247-57. A phase 3 trial evaluating panitumumab plus best supportive care vs best supportive care in chemorefractory wild-type KRAS or RAS metastatic colorectal cancer. Boggs W. Cancer Res. 2011 Aug. 2003 Aug. Accessed: January 27, 2016. Available at . Association of Dietary Inflammatory Potential With Colorectal Cancer Risk in Men and Women. Available at . Aflibercept Plus FOLFIRI vs. New York: Springer; 2017. Hendlitz A, Van den

Epidermal, Maleux G, Lambert B, Vanmoete J, et al. 2011. Dec 17. Br J Cancer. 103(23):1741-51. Prospective Analysis of Body Mass Index, Physical Activity, and Colorectal Cancer Risk Associated with 5-Catenin (CTNNB1) Status. 35 (13):1453-1486. Douglas D. 2011 Apr 20. Sanoff HK, Sargent DJ, Campbell ME, et al. Available at . Am J Epidemiol. 177(9):818-824. Moher D, Leach J, Lonardi S, Lenz HJ, Morse MA, et al. Practice parameters for the management of colon cancer. J Natl Cancer Inst. Nitzkowski JR, Farma JM, Watson JC, Sriprapun V, Zhu F, Maitsovi RS, et al. Lasser KE, Murillo J, Lisboa S, et al. Randomized trial of laparoscopic-assisted resection of colorectal carcinoma: 3-year results of the UK MRC CLASIC0 Trial Group. Colon and Rectum. Durability Clinical Benefit With Nivolumab Plus Ipilimumab in DNA Mismatch Repair-Deficient/Microsatellite Instability-High Metastatic Colorectal Cancer. 30(1):42-52. Cancer Prev Res (Phila Pa). NCCN Clinical Practice Guidelines in Oncology: Colorectal Cancer Screening. Oral antibiotic use and risk of colorectal cancer in the United Kingdom, 1989-2012: a matched case-control study. HER2 Therapy in Advanced Colorectal Cancer: 'Extraordinary'. May 30, 2018; Accessed: February 25, 2020. Colorectal cancer surveillance: 2005 update of an American Society of Clinical Oncology practice guideline. Is diabetes mellitus an independent risk factor for colon cancer and rectal cancer?. 27 (8):1386-422. Accuracy and safety of second-generation PillCam COLON capsule for colorectal polyep detection. 29(15):2011-9. BMC Cancer. Colorectal Cancer Incidence Patterns in the United States, 1974-2013. 2006 Aug 1. Arkenau HT, Arnold D, Cassidy J, Diaz-Rubio E, Douillard JY, Hochster H, et al. 106(6):1135-46. 359(24):2567-78. 2013 Nov 12. 30(1):53-9. 2009 Jun. European cancer mortality predictions for the year 2018 with focus on colorectal cancer. 59(7):1268-73. [Guideline] Kahi CJ, Boland CR, Dominitz JA, Giardiello FM, Johnson DA, Kaltenbach T, et al. 2015 Oct 15. 32 (suppl 3):abstr LBA388. Meester RGS, Manlathalra A, Lansdorf-Vogelaar I, Ladabaum U. American Society of Clinical Oncology recommendations on adjuvant chemotherapy for stage II colon cancer. Chu E and DeVita VT. Version 2.2020 — March 3, 2020; Accessed: April 14, 2020. Zhang X, Smith-Warner SA, Chan AT, et al. Dec 7/2010; Early online publication. Results of a phase III randomized, double-blind, placebo-controlled, multicenter trial (COORRECT) of regorafenib plus best supportive care (BSC) versus placebo plus BSC in patients with metastatic colorectal cancer (mCRC) who have progressed after standard therapies. Arai CS, Ziprin P, Bottle A, Burns EM, Aylin P, Darzi A. 2011 May 23. Dis Colon Rectum. 54(5):530-5. 2014 Aug 6. 24(2):235-41. June 3, 2013. Accessed: January 30, 2018. Tabunzi FK, Liu L, Wang W, Fang TT, Wu K, Smith-Warner SA, et al. Panitumumab-FOLFOX4 treatment and RAS mutations in colorectal cancer: 73(5):1600-10. Ann Surg. Jacobs ET, Ahnen DJ, Ashbeck EL, Baron JA, Greenberg ER, Lance P, et al. Dehal AN, Newton CS, Jacobs EJ, et al. Colonic stenting versus emergency surgery for acute left-sided malignant colonic obstruction: a multicentre randomised trial. 2012 Sep 26. Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. Chang GJ, Kaiser AM, Mills S, Rafferty JF, et al. Health Information. Accessed: February 19, 2020. 2018 Jan 18. J Clin Oncol. 2016 Mar. Chemotherapy options in elderly and frail patients with metastatic colorectal cancer (MRC FOCUS2): an open-label, randomised factorial trial. Available at . [Guideline] National Comprehensive Cancer Network. 2008 Dec 11. Available at . 31(7):876-85. JAMA Oncol. 2008 Apr 16. Di Benedetto F, Berretta M, D'Amico G, et al. Ann Surg Oncol. 23(34):8671-8. Pawlik TM, Raut CP, Rodriguez-Bigas MA. Association between body mass index and colorectal neoplasia at follow-up colonoscopy: a pooling study. Is resection of colorectal liver metastases after a second-line chemotherapy regimen justified?. Aspirin Use, Body Mass Index, Physical Activity, Plasma C-Peptide, and Colon Cancer Risk in US Health Professionals. SEER Stat Fact Sheets: Colorectal Cancer. 2015 May 14. American Cancer Society. 230(3):309-18; discussion 318-21. 321 (19):1933-1934. Available at . 2019 May. Clin Cancer Res. Siegel RL, Miller KD, Jemal A. Phase III study of fluorouracil, leucovorin, and levamisole in high-risk stage II and III colon cancer: final report of Intergroup 0899. Colorectal Cancer: Estimated Cancer Incidence, Mortality and Prevalence Worldwide in 2012. Chua TC, Saxena A, Chu F, Zhao J, Morris DL. 2009 Mar. 22(16):3408-19. NCCN MAKES NO REPRESENTATIONS OR WARRANTIES CONCERNING THE NCCN CONTENT, THE NCCN GUIDELINES OR DERIVATIVE RESOURCES PROVIDED BY NCCN, ALL OF WHICH ARE PROVIDED "AS IS." NCCN DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING, WITHOUT LIMITATION, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. 2013 Aug 8. 24(2):235-41. June 3, 2013. Accessed: January 30, 2018. Tabunzi FK, Liu L, Wang W, Fang TT, Wu K, Smith-Warner SA, et al. Panitumumab-FOLFOX4 treatment and RAS mutations in colorectal cancer: 73(5):1600-10. Ann Surg. Jacobs ET, Ahnen DJ, Ashbeck EL, Baron JA, Greenberg ER, Lance P, et al. Dehal AN, Newton CS, Jacobs EJ, et al. Colonic stenting versus emergency surgery for acute left-sided malignant colonic obstruction: a multicentre randomised trial. 2012 Sep 26. Yogurt consumption and risk of colorectal cancer in the Italian European prospective investigation into cancer and nutrition cohort. Chang GJ, Kaiser AM, Mills S, Rafferty JF, et al. Buie WD. Standards Practice Task Force of the American Society of Colon and Rectal Surgeons. Wilschut JA, Habbeema JD, van Leerdaam ME, et al. 09/14/2017. 2009 Mar 15. 2020 Feb. 2019 Jan. American Joint Committee on Cancer. 17(110):906-12. November 3, 2017; Accessed: January 30, 2018. 22(1):23-30. Tournaudig C, Andre T, Achille E, et al. 370(9604):2020-9. 10(1):63-9. 2011 Aug 15. Song M, Wu K, Meyerhardt JA, Ogino S, Wang M, Fuchs CS, et al. 29(25):3381-8. Cole BF, Logan RF, Halabi S, Benamouzig R, Sandler RS, Grainge MJ, et al. Five-year analysis of the prevention of colorectal sporadic adenomatous polyps trial. Available at . 2007 Oct. American Cancer Society Updates Colorectal Cancer Screening Guideline. October 30, 2017; Accessed: January 30, 2018. 2009 Jan 5. The IDEA (International Duration Evaluation of Adjuvant Chemotherapy) Collaboration: Projective Combined Analysis of Phase III Trials Investigating Duration of Adjuvant Therapy with the FOLFOX (FOLFOX4 or Modified FOLFOX6) or XELOX (3 versus 6 months) Regimen for Patients with Stage III Colon Cancer: Trial Design and Current Status. Bailly L, Fabre R, Pradier C, Iannelli A. Available at . 2020 Feb 13. 2020 Feb 5. Fiber Intake and Survival After Colorectal Cancer Diagnosis. 117(19):4484-92. Effect of aspirin or resistant starch on colorectal neoplasia in the Lynch syndrome. Effect of daily aspirin on long-term risk of death due to cancer: analysis of individual patient data from randomized trials. Associations of recreational physical activity and leisure time spent sitting with colorectal cancer survival. Boller AM, Neilson H. Effect of aspirin on long-term risk of colorectal cancer: consistent evidence from randomised and observational studies. Available at . Barry EL, Peacock JI, Rees JR, Bostick RM, Robertson DJ, Bresneller RS, et al. 9:261-269. January 22, 2020; Accessed: February 19, 2020. C-stage in Colon Cancer: Implications of Carcinoembryonic Antigen Biomarker in Staging, Prognosis, and Management. 2007 Nov 15. Dis Markers. Target Oncol. 106(11):1911-21; quiz 1922. 2011 Oct 19. Yothers G, Sargent DJ, Wolmark N, et al. 2012 May. Bristol-Myers Squibb Company: Princeton, NJ 08543 USA. Association of adherence to lifestyle recommendations and risk of colorectal cancer: a prospective Danish cohort study. January 27, 2014. Colorectal cancer statistics, 2020. 2018 Mar 31. Salt LB, Kelsen DP. Randomized, phase III trial of panitumumab with infusional fluorouracil, leucovorin, and oxaliplatin (FOLFOX4) versus FOLFOX4 alone as first-line treatment in patients with previously untreated metastatic colorectal cancer: the PRIME study. Comparison of adjuvant systemic chemotherapy with or without hepatic arterial infusional chemotherapy after hepatic resection for metastatic colorectal cancer. Histology influences colorectal cancer metastatic pattern. 2004 Aug 15. 2011 May 21. ACC clinical guideline: Genetic testing and management of hereditary gastrointestinal cancer syndromes. 2011 Jan 1. ESMO consensus guidelines for the management of patients with metastatic colorectal cancer. 248(1):1-7. Ramucirumab versus placebo in combination with second-line FOLFIRI in patients with metastatic colorectal carcinoma that progressed during or after first-line therapy with bevacizumab, oxaliplatin, and a fluoropyrimidine (RAISE): a randomised, double-blind, multicentre, phase 3 study. Veldkamp R, Kuhry E, Hoc WP, et al. Tabernero J, Yoshino T, Cohn AL, Obermannova R, Bodoky G, Garcia-Carbonero R, et al. Meyerhardt JA, Heseltine D, Niedzwiecki D, Hollis D, Saltz LB, Mayer RJ, et al. Bennouna J, Sastre J, Arnold D, Osterlund P, Grell R, Van Cutsem E, et al. Genetic alterations during colorectal-tumor development. [Guideline] Wilt TJ, Harris RP, Qassem A, High Value Care Task Force of the American College of Physicians. 8th ed. Available at . A randomized phase IIB trial of chemotherapy, bevacizumab, and panitumumab compared with chemotherapy and bevacizumab alone for metastatic colorectal cancer. Hurwitz H, Fehrenbacher L, Novotny V, et al. van Hooft JE, Bemelman WA, Oldenburg B, et al. March 04, 2013; Accessed: January 30, 2018. Overman MJ, Lonardi S, Wong KYM, Lenz HJ, Gelsomino F, Aglietta M, et al. 363 (6433):1345-1349. April 14, 2016; Accessed: January 30, 2018. Baillargeon J, Kuo YF, Lin YL, et al. 2013 Mar 1. Colorectal cancer patients under the age of 50 experience delays in primary care leading to emergency diagnoses: a population-based study. Goncalves MD, Lu C, Tutunajer J, Hartman TE, Hwang SK, Murphy CJ, et al. J Am Geriatr Soc. Burn J, Gerdes AM, Macrae F, et al. 150 (3):758-768.e11. Colon Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/2017. Adjuvant chemotherapy versus observation in patients with colorectal cancer: a randomised study. Recommendations for Follow-Up After Colonoscopy and Polypectomy: A Consensus Update by the US Multi-Society Task Force on Colorectal Cancer. March 11, 2014. Nelson R. Phase III trial assessing bevacizumab in stages II and III carcinoma of the colon: results of NSABP protocol C-08. 2011 Jul. Annu Rev Med. BMJ. Accessed: May 21, 2019. Lancet. 2009 Feb 18. Surveillance, Epidemiology, and End Results Program. 25(3):651-7. Poultsides GA, Servais EL, Saltz LB, Patil S, Kemeny NE, Guillem JG, Corley DA, Jensen CD, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 28 February 2017. Biologies. Br J Surg. January 24, 2013; Accessed: January 30, 2018. Association of dietary patterns with cancer recurrence and survival in colorectal cancer: American Society of Clinical Oncology Clinical Practice Guideline Endorsement. Cook RW, Lee JM, Zhang SM, Moorhy M, Burnett JE. 22(2):229-37. Van Cutsem E, Kihne CH, Hitt R, et al. FDA News Release. Outcomes Among Black Patients With Stage II and III Colon Cancer Receiving Chemotherapy: An Analysis of ACCENT Adjuvant Trials. Zhang J, Haines C, Watson AJM, Hart AR, Platt MR, Pardoll DM, et al. Jensen CD, Corley DA, Quinn VP, Doubeni CA, Zauber AG, Lee JK, et al. 150 (3):758-768.e11. Colorectal Cancer Treatment—Health Professional Version. 2019 May 21. van Erning FN, Creemers GJ, De Hingh IH, Loosveldt OJ, Goey SH, Lemmens VE, O'Connor ES, Greenblatt DY, LoConte NK, et al. Benson AB 3rd, Schrag D, Somerfield MR, Cohen AM, Figueredo AT, Flynn PJ, et al. JAMA. 2010 Mar 11. FDA approves first bisomilar for the treatment of cancer. Predictors of cure after hepatic resection of colorectal liver metastases: an analysis of actual 5- and 10-year survivors. Test all colorectal cancers for Lynch syndrome. Meta-analysis: colonoscopic post-polypectomy bleeding in patients on continued clogidrogel therapy. Aspirin for the chemoprevention of colorectal adenomas: meta-analysis of the randomized trials. 7/201